


KL Seating®
青林座椅

SAFE AND COMFORTABLE



企业文化

CORPORATE CULTURE

企业使命

Our Mission

用我们的专业,为客户提供安全，舒适，经济的座椅。

Provide safe, comfortable and economical seats to customers with our professional skills.

企业愿景

Our Vision

成为全球座椅专业设计，制造商。

To be the global seat designer and manufacturer.

企业价值观

Our Values

客户第一，团队合作，创新，激情，诚信，敬业。

Customer first, Team work ,Innovation,Passion, Honest ,Dedicated.

COMPLETE PROCESS FLOW

全套工艺流程



公司简介 COMPANY PROFILE

青林座椅，前身南昌青林机械厂，创建于2001年。2007年开始专注于生产座椅及座椅配件，于2016年成立南昌青林座椅制造有限公司。公司产品涉及工业车辆、工程机械、农业机械、园林机械等非道路车辆座椅及座椅配件。生产基地占地总面积达35000平方米，拥有年产座椅50万席的生产能力。产品主要供给国内外各大主机厂及售后市场，并拥有多年出口经验，主要出口欧洲，北美，南美以及东南亚等国家。

青林座椅引进先进生产设备，自动化冲压和机器焊接设备，自动流水线等。有自主研发中心和实验中心，拥有各项高精检测设备和座椅震动实验台，获得三十余项产品专利。有完善的质量管理体系，通过ISO9001:2015质量体系认证，CE认证和各项环保认证。

青林座椅与江西省属重点各大院校研发合作高端减震器，公司荣获国家高新企业、省专精特新以及南昌市企业技术中心企业等荣誉称号，还通过了环境管理体系ISO14001:2015和职业健康安全管理体系认证。

青林座椅秉承以客户为中心，团队合作，创新，激情，诚信，敬业的企业理念，竭力为客户提供舒适安全的座椅，力争成为全球专业的座椅设计和制造商！

KL Seating, founded in 2001 with the company name of Nanchang Qinglin Machinery Co.,Ltd. From 2007,we focus on seat manufacturing and seat spare parts.In 2016,Nanchang Qinglin Seat Manufacturing Co., Ltd set up. The main product including forklift seats, construction seats, agricultural seats, garden machine seats and other vehicle seats& seat spare parts. With the total area of 35000 square meters,the annual production capacity of seat can achieve 500000pcs. The products are mainly for domestic and foreign OEM and after-sales markets, We have many years of exporting experience, mainly exporting to Europe, North America, South America, Southeast Asia and other countries.

KL Seating has introduced advanced production equipment, such as automated stamping machine, automatic welding equipment, and automated assembly lines. We have our own R&D center and testing center, as well as various high-precision testing equipment and the seat vibration test bench. Meanwhile,we have obtained more than 30 patents for our seats. We have a comprehensive quality management system and have passed the ISO9001:2015 quality system certification, CE certification and various environmental certifications.

KL Seating has cooperated with key provincial universities in Jiangxi Province for researching and developing the luxury suspensions. And also has been awarded honors such as High Tech Enterprise, Provincial Specialized, refined and innovative enterprises, and Nanchang Technology Center Enterprise. And we have passed the Certificates of Environmental management system and occupational health and safety management system.

KL Seating adheres to the corporate value of customer first, teamwork, innovation, passion, honest, and dedicated, trying to provide customers with comfortable and safe seats, and striving to become the global professional seat designer and manufacturer!



Main Market

主要市场



为客户提供座椅解决方案

SEATING SOLUTIONS DESIGNED FOR CUSTOMERS

工程机械

|



Construction



|

农业机械

Agricultural

园林

|



Garden



|

叉车


Forklift



OEM

工程机械系列/Construction Series

KL 02



STANDARD FEATURES

Adjustable Backrest
With tilt adjustment

Fore/aft Adjustment:
190mm ,Each step 10mm

Weight Adjustment:
50-130KG

Mechanical Suspension Stroke:
70mm

标准参数

靠背可调
带倾角调

前后调节距离:
行程190mm, 调节间距10mm

体重调节范围:
50-130KG

悬浮减震行程:
70mm

Material 材质



PVC



Fabric

Cover 颜色



可选附件



Suspension With Tilt Adjusting
倾斜减震



Mechanical Suspension
减震



Adjustable Armrest
可调扶手



Headrest
头枕




Slide
滑轨



Seat Cushion Depth and Tilt Adjustment
座垫座深调, 倾角调

KL 02.10



STANDARD FEATURES 标准参数

Adjustable Backrest
Seat depth adjustment

靠背可调
坐深调节

Fore/aft Adjustment:
190mm ,Each step 10mm

前后调节距离:
行程190mm，调节间距10mm

Weight Adjustment:
50-130KG

体重调节范围:
50-130KG

Mechanical Suspension Stroke:
70mm

悬浮减震行程:
70mm

Material 材质





Cover 颜色



工程机械系列/Construction Series

YS 15



STANDARD FEATURES

标准参数

Adjustable Backrest

靠背可调

Fore/aft Adjustment:
176mm ,Each step 16mm

前后调节距离:
行程176mm, 调节间距16mm

Weight Adjustment:
50-130KG

体重调节范围:
50-130KG

Suspension stroke:
40-110mm

减震行程:
40-110mm

Material 材质



PVC



Fabric

Cover 颜色



可选附件



Adjustable Armrest
可调扶手



360° Swivel
旋转机构



Mechanical Suspension
机械减震器



Air Suspension
气囊减震器



Armrest Control Box
扶手箱




Heating Mat
加热垫



Headrest
头枕

YS2-8



STANDARD FEATURES

Adjustable Backrest

Fore/aft Adjustment:
150mm ,Each step 15mm

Weight Adjustment:
50-120KG

Suspension stroke:
40-110mm

标准参数


靠背可调

前后调节距离:
行程150mm，调节间距15mm

体重调节范围:
50-120KG

减震行程:
40-110mm

Material 材质



Cover 颜色



可选附件



Safety Belt
安全带



Non-adjustable Armrest
不可调扶手



Slide
滑轨



Micro Switch
电锁




Mechanical Suspension
机械减震器



Mechanical Suspension
机械减震器

工程机械系列/Construction Series

KL 10



STANDARD FEATURES

Adjustable Backrest

Fore/aft Adjustment:
foreward 80mm, backward 80mm

Weight Adjustment:
50-120KG

Suspension stroke:
50mm

标准参数

靠背可调

前后调节距离:
前80mm, 后80mm

体重调节范围:
50-120KG

座椅悬浮减震:
50mm

Material 材质



PVC



Fabric

Cover 颜色



可选附件



Safety Belt
安全带



Adjustable Armrest
可调扶手



Slide
滑轨



Micro Switch
电锁




Mechanical Suspension
机械减震器



Mechanical Suspension
机械减震器

叉车系列/Forklift series


KL 01



STANDARD FEATURES 标准参数

Adjustable Backrest	靠背可调
Fore/aft Adjustment: foreward 80mm, backward 80mm	前后调节距离: 前80mm, 后80mm
Weight Adjustment: 50-130KG	体重调节范围: 50-130KG
Mechanical Suspension Stroke: 50mm	悬浮减震行程: 50mm

Material 材质





Cover 颜色



叉车系列/Forklift series

KL11.20



STANDARD FEATURES

Fore/aft Adjustment:
160mm,foreward 80mm,
backward 80mm

标准参数

前后调节距离:
160mm, 前80mm,
后80mm



Material 材质



Cover 颜色



KL 11



Material 材质



Cover 颜色



STANDARD FEATURES

Fore/aft Adjustment:
176mm,foreward 80mm,
backward 96mm


标准参数

前后调节距离:
176mm, 前80mm,
后96mm

叉车系列/Forklift series



YY53



STANDARD FEATURES

Weight Adjustment: 40-120KG
Suspension stroke: 48mm

标准参数

体重调节范围: 40-120KG
座椅悬浮减震: 48mm


Material 材质



Cover 颜色



YY51



Material 材质



Cover 颜色



STANDARD FEATURES



Fore/aft Adjustment: 176mm
The backrest angle adjust:
forward 20°±5°,afterward 25°±5°

标准参数

前后调节距离: 176mm
靠背角度调节:
前20°±5°, 后25°±5°

叉车系列/Forklift series

YL01



STANDARD FEATURES

Adjustable Backrest

Fore/aft adjust:
Forward 90mm,afterward 60mm

标准参数

靠背可调
前/后调节:
前90mm, 后60mm



Material 材质



Cover 颜色



YS02



Material 材质



Cover 颜色



STANDARD FEATURES

The backrest angle adjust: Fold forwardly

Fore/aft adjust:
Forward 90mm,afterward 60mm

标准参数


靠背角度调节:向前折叠

前/后调节:
前90mm, 后60mm

园林系列/Garden series



KL 16



STANDARD FEATURES

Fore/aft Adjustment:
foreward 80mm, backward 80mm


Weight Adjustment:
50-130KG

标准参数


前后调节距离:
前80mm, 后80mm

体重调节范围:
50-130KG


Material 材质



Cover 颜色



YY 33




Material 材质



PVC

Cover 颜色




STANDARD FEATURES

Seat front and rear adjustment
stroke:
187mm, pitch is 15mm;


标准参数

座椅前后调节行程:
187mm, 节距为
15mm

园林系列/Garden series



YY 15



STANDARD FEATURES

Adjustable Backrest
Fore/aft Adjustment:
160mm ,Each step 10mm
Cut and Sewn cover with mixed colors

标准参数

靠背可调
前后调节距离:
行程160mm，间距10mm
带不同颜色的包制面料


Material 材质



Cover 颜色



KL 01包制



Material 材质



Cover 颜色



STANDARD FEATURES


Weight Adjustment: 50-130KG
Mechanical Suspension Stroke: 50mm
Cut and Sewn cover with mixed colors

标准参数

体重调节范围: 50-130KG
悬浮减震行程: 50mm
带不同颜色的包制面料

园林系列/Garden series

YY70



STANDARD FEATURES

Using Glue to Attach The Plastic Shell
Bottom Multihole

标准参数

粘胶工艺
底部多孔设计

Material 材质




PVC

Cover 颜色



YY61



Material 材质



PVC

Cover 颜色



STANDARD FEATURES

Cut and Sewn Cover
Different Color Stitching


标准参数

包制面料
不同颜色拼接



园林系列/Garden series

YY60



STANDARD FEATURES	标准参数
Using Glue to Attach The Plastic Shell	粘胶工艺
Bottom Multihole	底部多孔设计


Material 材质


PVC

Cover 颜色



KL 12



Material 材质


PVC

Cover 颜色






STANDARD FEATURES	标准参数
With Plastic Shell	塑料靠背
Not Easy to Rust	轻便 不易生锈

园林系列/Garden series

YY19



STANDARD FEATURES

Low Back

The Cover Can Be Replaced

标准参数

低靠背

皮套可更换


Material 材质



Cover 颜色



YY28



Material 材质



Cover 颜色



STANDARD FEATURES

Polyurethane



标准参数

聚氨酯



农机系列/Agricultural Machinery Series


YJ 03



STANDARD FEATURES 标准参数

Adjustable Backrest	靠背可调
Fore/aft Adjustment: 175mm	前后调节距离: 175mm
Weight Adjustment: 50-130KG	体重调节范围: 50-130KG
Air suspension sfroke: 80mm	气囊减震行程: 80mm
With 24V air compressor	带24v电机

Material 材质



Cover 颜色



可选附件



Armrest
扶手



Safety Belt
安全带



Headrest
头枕



Mechanical Suspension
机械减震器



Air Suspension
气囊减震器





Armrest Control Box
扶手箱



Heating Mat
加热垫

农机系列/Agricultural Machinery Series

YY08



STANDARD FEATURES

Weight Adjustment: 50-120KG

Fore/aft adjust:
Forward 70mm, afterward 60mm

标准参数

体重调节范围: 50-120KG

前/后调节:
前70mm, 后60mm

Material 材质





Cover

颜色



YY10



Material 材质



Cover 颜色



STANDARD FEATURES

Weight Adjustment: 50-120KG

Mechanical Suspension Stroke: 80mm


标准参数

体重调节范围: 50-120KG

悬浮减震行程: 80mm

农机系列/Agricultural Machinery Series

YY 12-3




STANDARD FEATURES 标准参数

With draining holes	带漏水孔
Fore/aft Adjustment: 150mm ,Each step 15mm	前后调节距离: 行程150mm，调节间距15mm
Weight Adjustment: 50-130KG	体重调节范围: 50-130KG
Mechanical Suspension Stroke: 40-110mm	悬浮减震行程: 40-110mm

Material 材质




Cover 颜色



农机系列/Agricultural Machinery Series

YY60-3



STANDARD FEATURES

Weight Adjustment: 50-130KG
Fore/aft Adjustment:
150mm ,Each step 15mm

标准参数

体重调节范围: 50-130KG
前后调节距离:
行程150mm, 调节间距15mm


Material 材质



Cover 颜色



YY30



Material 材质



Cover 颜色



STANDARD FEATURES

Waterpoof Cover

标准参数

防水面料

可选附件/OPTIONAL Accessories

Suspension 减震器



J03



J0303



J07



J08



J09

Micro Switch 电锁



D01



D02



D03



D08



D16

Safety Belt 安全带



A01



A02



A03



A05



A21

可选附件/OPTIONAL Accessories

Slide 滑轨



H02



H05



H09



H10



H30

Armrest 扶手



F01



F02



F03



F04



F08

Headrest 头枕



K04



K05

Other 其他



Armrest Control Box
扶手箱



360° Swivel
旋转机构



南昌青林座椅制造有限公司

Nanchang Qinglin Seat Manufacturing Co.,Ltd

南昌青林汽车配件有限公司

Nanchang Qinglin Automobile Accessories Co.,LTD

地址:江西省南昌市小蓝经济技术开发区雄溪北路1号

Add: No.1 Xiongxi North Road, Xiaolan Zone, Nanchang Jiangxi.

电话Tel:0791-85776525

邮箱Email:andy@ncyzy.cn

官网Web:www.qlseats.com